

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptayvv1621

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 02	STN pricing information for 2008 now available
NEWS	3	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	4	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	5	JAN 28	MARPAT searching enhanced
NEWS	6	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	7	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	8	JAN 28	MEDLINE and LMEDLINE reloaded with enhancements
NEWS	9	FEB 08	STN Express, Version 8.3, now available
NEWS	10	FEB 20	PCI now available as a replacement to DPCI
NEWS	11	FEB 25	IFIREF reloaded with enhancements
NEWS	12	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	13	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	14	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	15	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	16	MAR 31	CA/CAPLUS and CASREACT patent number format for U.S. applications updated
NEWS	17	MAR 31	LPCI now available as a replacement to LDPCI
NEWS	18	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	19	APR 04	STN AnaVist, Version 1, to be discontinued
NEWS	20	APR 15	WPIDS, WPINDEX, and WPIX enhanced with new predefined hit display formats
NEWS EXPRESS	FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008		
NEWS HOURS	STN Operating Hours Plus Help Desk Availability		
NEWS LOGIN	Welcome Banner and News Items		
NEWS IPC8	For general information regarding STN implementation of IPC 8		

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 18:19:08 ON 21 APR 2008

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 18:19:21 ON 21 APR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 APR 2008 HIGHEST RN 1015905-22-2

DICTIONARY FILE UPDATES: 20 APR 2008 HIGHEST RN 1015905-22-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>


Uploading C:\Program Files\Stnexp\Queries\10580840-final.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 18:19:38 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 29 TO ITERATE

```
100.0% PROCESSED          29 ITERATIONS                      16 ANSWERS
SEARCH TIME: 00.00.01
```

L2                      16 SEA SSS SAM L1

```
100.0% PROCESSED      574 ITERATIONS      287 ANSWERS
SEARCH TIME: 00.00.01
```

FILE 'CAPLUS' ENTERED AT 18:19:47 ON 21 APR 2008  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

=> s 16 and catalyst  
798520 CATALYST  
L8 2 L6 AND CATALYST

=> d 18 ibib abs hitstr 1-  
YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y/(N):y

L8 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2003:211150 CAPLUS

DOCUMENT NUMBER: 139:7268

TITLE: Synthesis and dielectric constants of polymers with cyclic carbonate pendant groups

AUTHOR(S): Purdy, Andrew P.; Levien, Elizabeth; Hwang, Ann

CORPORATE SOURCE: Chemistry Division, Naval Research Laboratory, Washington, DC, 20375-5342, USA

SOURCE: Polymer Preprints (American Chemical Society, Division of Polymer Chemistry) (2003), 44(1), 854-855  
CODEN: ACPPAY; ISSN: 0032-3934

PUBLISHER: American Chemical Society, Division of Polymer Chemistry

DOCUMENT TYPE: Journal; (computer optical disk)


LANGUAGE: English

AB Polymers containing pendant 5-membered cyclic carbonate functionalities were prepared and their dielec. consts. were measured as a function of frequency. Glycerol carbonate methacrylate, a known compound, was polymerized in bulk. It had a dielec. constant ~6 at 1 kHz which dropped to ~5 at 1 MHz, with an dielec. loss ~ 0.1 at 1 kHz. Copolymers with Me methacrylate had lower dielec. consts., with similar loss factors. A silicone polymer with propoxy-glycerol carbonate pendant groups was also prepared and crosslinked with varying amts. of Jeffamine T-403 or triethylenetetramine. Dielec. consts. >20 at 1 kHz were obtained, but the materials had high dielec. losses, and showed some ionic conductivity that could have come from autoionization of the hydroxyethyl carbamate crosslink moieties.

IT 13818-44-5P, 2-Oxo-1,3-dioxolan-4-yl)methyl methacrylate  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(monomer; synthesis and dielec. consts. of polymers with cyclic carbonate pendant groups)

RN 13818-44-5 CAPLUS

CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester (CA INDEX NAME)



IT 109013-85-6P  
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)  
(synthesis and dielec. consts. of polymers with cyclic carbonate pendant groups)


RN 109013-85-6 CAPLUS

CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester, homopolymer (CA INDEX NAME)

CM 1

CRN 13818-44-5

CMF C8 H10 O5



REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1993:193704 CAPLUS

DOCUMENT NUMBER: 118:193704

TITLE: Thermosetting polyester resin compositions

INVENTOR(S): Hashizume, Toyomi; Iwamura, Goro; Oka, Masataka

PATENT ASSIGNEE(S): Dainippon Ink and Chemicals, Inc., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 15 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent


LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 04248835	A	19920904	JP 1991-522	19910108
JP 3116962	B2	20001211		
PRIORITY APPLN. INFO.:			JP 1991-522	19910108

GI



AB The compns. contain (1) vinyl- or isocyanate-modified polyesters or alkyd resins containing 2-oxo-1,3-dioxolane groups X [R1-R3 = H, C1-4-alkyl], possibly together with CO<sub>2</sub>H and(or) OH groups, and (2) curing catalysts, and optionally contain (3) compds. containing CO<sub>2</sub>H, anhydride group, and(or) OH but not simultaneously containing anhydride group and OH and (4) curing agents capable of reaction with OH. Thus, trimethylolpropane 11, neopentyl glycol 381, p-tert-butylbenzoic acid 280, isophthalic acid 138, adipic acid 203, and hexahydrophthalic anhydride 85 parts were copolymd. at 150° for 5 h in the presence of 0.02 part Bu<sub>2</sub>SnO and maleated at 240° for 8 h with 22 parts maleic anhydride in xylene to give a solution (A); a mixture of 4-(methacryloyloxymethyl)-1,3-dioxolan-2-one 400, Me methacrylate 200, styrene 100, and Bu methacrylate 300 parts was heated with peroxides and solution A at 130° for 8 h to give a cyclocarbonate group-containing vinyl-modified polyester solution B with good storage stability.

A mixture of 1.0 part PhCH<sub>2</sub>NMe<sub>3</sub>OH with 100 parts B was coated onto Zn<sub>3</sub>P<sub>2</sub>O<sub>4</sub>-treated steel plate (30 μm) and heated at 130° for 20 min to give a film with good processability and resistance to water, H<sub>2</sub>SO<sub>4</sub> (5%), and weathering.

IT 13818-44-5DP, graft copolymers with acrylic monomers and


dehydrated castor oil fatty acids and hexanediol and pentaerythritol and phthalic anhydride 147142-87-8P 147142-89-0P

RL: PREP (Preparation)

(preparation of, for coatings with good chemical resistance and processability and storage stability)

RN 13818-44-5 CAPLUS

CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester (CA INDEX NAME)




RN 147142-87-8 CAPLUS

CN 1,3-Benzenedicarboxylic acid, polymer with butyl 2-methyl-2-propenoate, 2,2-dimethyl-1,3-propanediol, ethenylbenzene, 2-ethyl-2-(hydroxymethyl)-1,3-propanediol, 2,5-furandione, hexahydro-1,3-isobenzofurandione, hexanedioic acid, methyl 2-methyl-2-propenoate and (2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate, 4-(1,1-dimethylethyl)benzoate, graft (9CI) (CA INDEX NAME)

CM 1

CRN 98-73-7

CMF C11 H14 O2



CM 2

CRN 147142-86-7


CMF (C8 H14 O2 . C8 H10 O5 . C8 H10 O3 . C8 H8 . C8 H6 O4 . C6 H14 O3 . C6 H10 O4 . C5 H12 O2 . C5 H8 O2 . C4 H2 O3)x

CCI PMS

CM 3


CRN 13818-44-5

CMF C8 H10 O5




CM 4

CRN 126-30-7  
CMF C5 H12 O2




CM 5

CRN 124-04-9  
CMF C6 H10 O4




CM 6

CRN 121-91-5  
CMF C8 H6 O4




CM 7

CRN 108-31-6  
CMF C4 H2 O3




CM 8

CRN 100-42-5  
CMF C8 H8



CM 9


CRN 97-88-1  
CMF C8 H14 O2



CM 10

CRN 85-42-7


CMF C8 H10 O3



CM 11

CRN 80-62-6


CMF C5 H8 O2



CM 12

CRN 77-99-6

CMF C6 H14 O3



RN 147142-89-0 CAPLUS


CN 1,3-Benzenedicarboxylic acid, polymer with butyl 2-methyl-2-propenoate, 2,2-dimethyl-1,3-propanediol, ethenylbenzene, 2-ethyl-2-(hydroxymethyl)-1,3-propanediol, 2,5-furandione, hexahydro-1,3-isobenzofurandione, hexanedioic acid, methyl 2-methyl-2-propenoate, (2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate and 2-propenoic acid, 4-(1,1-dimethylethyl)benzoate, graft (9CI) (CA INDEX NAME)

CM 1

CRN 98-73-7

CMF C11 H14 O2





CM 2

CRN 147142-88-9


CMF (C8 H14 O2 . C8 H10 O5 . C8 H10 O3 . C8 H8 . C8 H6 O4 . C6 H14 O3 . C6 H10 O4 . C5 H12 O2 . C5 H8 O2 . C4 H2 O3 . C3 H4 O2)x

CCI PMS

CM 3

CRN 13818-44-5


CMF C8 H10 O5



CM 4

CRN 126-30-7


CMF C5 H12 O2



CM 5

CRN 124-04-9


CMF C6 H10 O4



CM 6


CRN 121-91-5

CMF C8 H6 O4




CM 7

CRN 108-31-6  
CMF C4 H2 O3




CM 8

CRN 100-42-5  
CMF C8 H8




CM 9

CRN 97-88-1  
CMF C8 H14 O2




CM 10

CRN 85-42-7  
CMF C8 H10 O3




CM 11

CRN 80-62-6  
CMF C5 H8 O2




CM 12

CRN 79-10-7  
CMF C3 H4 O2



CM 13

CRN 77-99-6  
CMF C6 H14 O3



=> s 16 not 18  
L9 11 L6 NOT L8

=> d 19 ibib abs hitstr 1-  
YOU HAVE REQUESTED DATA FROM 11 ANSWERS - CONTINUE? Y/(N):y

L9 ANSWER 1 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN  
ACCESSION NUMBER: 1997:506351 CAPLUS  
DOCUMENT NUMBER: 127:137143  
TITLE: Aqueous crosslinkable acrylic polymer coating composition  
INVENTOR(S): Yang, Lucy; Tobias, Michael A.; Ruhoff, Philip J.; Hung, Robert; Stenson, Paul  
PATENT ASSIGNEE(S): Valspar Corporation, USA  
SOURCE: PCT Int. Appl., 32 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9723516	A1	19970703	WO 1996-US20735	19961220
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG			
AU 9713533	A	19970717	AU 1997-13533	19961220
PRIORITY APPLN. INFO.:			US 1995-576948	A 19951222
			WO 1996-US20735	W 19961220


AB An aqueous crosslinkable coating composition comprises an aqueous dispersion of an

emulsion polymer containing cyclic carbonate groups and an emulsion polymer containing amine (precursor) groups. The coatings are crosslinked by reaction of the cyclic carbonate groups with the amine groups. An amine-containing polymer was prepared by reaction of propylenimine with an acrylic acid-Bu acrylate-Bu methacrylate-glycidyl methacrylate carbonate-methacrylic acid-styrene copolymer.

IT 192937-43-2DP, reaction products with propylenimine  
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)  
 (aqueous crosslinkable acrylic polymer coating composition)  
 RN 192937-43-2 CAPLUS  
 CN 2-Propenoic acid, 2-methyl-, polymer with butyl 2-methyl-2-propenoate, butyl 2-propenoate, ethenylbenzene, (2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate and 2-propenoic acid (9CI) (CA INDEX NAME)


CM 1

CRN 13818-44-5  
 CMF C8 H10 O5




CM 2

CRN 141-32-2  
 CMF C7 H12 O2




CM 3

CRN 100-42-5  
 CMF C8 H8




CM 4

CRN 97-88-1  
 CMF C8 H14 O2




CM 5

CRN 79-41-4  
CMF C4 H6 O2



CM 6

CRN 79-10-7  
CMF C3 H4 O2



L9 ANSWER 2 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1995:395453 CAPLUS

DOCUMENT NUMBER: 122:315745

TITLE: Modification of reactive oligomers with proteins

AUTHOR(S): Otvalko, Zh. A.; Barantsevich, E. N.; Grechanovskii, V. A.

CORPORATE SOURCE: NIISint. Kauchuka im. S. V. Lebedeva, St. Petersburg, Russia

SOURCE: Zhurnal Prikladnoi Khimii (Sankt-Peterburg) (1994), 67(8), 1328-34

CODEN: ZPKHAB; ISSN: 0044-4618

PUBLISHER: Nauka

DOCUMENT TYPE: Journal

LANGUAGE: Russian

AB Conditions for the reaction of vegetable proteins with glycidyl-terminated polyether, cyclocarbonate-terminated polyether, and copolymers of 1,3-butadiene glycidyl methacrylate or with 2,3-cyclocarbonate methacrylate were determined. The obtained reaction products were characterized.

IT 71868-75-2DP, cyanoisopropyl-terminated, reaction products with modified vegetable proteins


RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (modification of glycidyl-terminated polyether, cyclocarbonate-terminated polyether, and copolymers of 1,3-butadiene glycidyl methacrylate or with 2,3-cyclocarbonate methacrylate with vegetable proteins)

RN 71868-75-2 CAPLUS

CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester, polymer with 1,3-butadiene (9CI) (CA INDEX NAME)

CM 1


CRN 13818-44-5  
CMF C8 H10 O5



CM 2

CRN 106-99-0

CMF C4 H6



L9 ANSWER 3 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1993:410510 CAPLUS

DOCUMENT NUMBER: 119:10510

TITLE: Acid-, scratch-, and weather-resistant curable acrylic polymer compositions

INVENTOR(S): Takezawa, Shoichiro; Harui, Nobuo; Iwamura, Goro

PATENT ASSIGNEE(S): Dainippon Ink and Chemicals, Inc., Japan

SOURCE: Jpn. Kokai Tokyo Koho, 10 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 04314720	A	19921105	JP 1991-79819	19910412
JP 3077233	B2	20000814		

PRIORITY APPLN. INFO.: JP 1991-79819 19910412

AB The title compns. contain (a) vinyl polymers containing 1,3-dioxoran-2-one-4-yl and OH groups and (b) compds. containing epoxy and OH groups. Thus, a coating was prepared from 4:3:1:2 Bu methacrylate-2,3-carbonatopropyl methacrylate-β-hydroxyethyl methacrylate-styrene copolymer and 4:3:1 Bu methacrylate-glycidyl methacrylate-β-hydroxyethyl methacrylate-styrene copolymer.

IT 148079-74-7 148099-68-7

RL: USES (Uses)

(coating materials containing, acid-, scratch-, and weather-resistant)


RN 148079-74-7 CAPLUS

CN 2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-hydroxyethyl 2-methyl-2-propenoate and (2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1


CRN 13818-44-5

CMF C8 H10 O5




CM 2

CRN 868-77-9  
CMF C6 H10 O3




CM 3

CRN 100-42-5  
CMF C8 H8



CM 4


CRN 97-88-1  
CMF C8 H14 O2



RN 148099-68-7 CAPLUS  
CN 2-Propenoic acid, 2-methyl-, polymer with butyl 2-methyl-2-propenoate, ethenylbenzene, 2-hydroxyethyl 2-methyl-2-propenoate and (2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)


CM 1

CRN 13818-44-5  
CMF C8 H10 O5




CM 2

CRN 868-77-9  
CMF C6 H10 O3




CM 3

CRN 100-42-5  
CMF C8 H8




CM 4

CRN 97-88-1  
CMF C8 H14 O2



CM 5


CRN 79-41-4  
CMF C4 H6 O2




L9 ANSWER 4 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN  
ACCESSION NUMBER: 1993:256690 CAPLUS  
DOCUMENT NUMBER: 118:256690  
TITLE: Water-thinned thermosetting resin compositions for  
chemical-, water-, and weather-resistant coatings  
INVENTOR(S): Hashizume, Toyomi; Iwamura, Goro; Ooka, Masataka  
PATENT ASSIGNEE(S): Dainippon Ink and Chemicals, Inc., Japan  
SOURCE: Jpn. Kokai Tokkyo Koho, 13 pp.  
CODEN: JKXXAF  
DOCUMENT TYPE: Patent  
LANGUAGE: Japanese  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
JP 04264157	A	19920918	JP 1991-24565	19910219
PRIORITY APPLN. INFO.:			JP 1991-24565	19910219
OTHER SOURCE(S):	MARPAT	118:256690		
GI				





- AB The compns. are formed by neutralizing a polyester containing Q (R1-R3 = H, C1-4 alkyl) groups and carboxy groups with a base, then dispersing or dissolving in water. 4-(Methacryloyloxymethyl)-2-oxo-1,3-dioxolane 200, styrene 180, and acrylic acid 20 parts were polymerized in the presence of a polyester from isophthalic acid 148.7, trimethylolpropane 11, neopentyl glycol 217.7, p-tert-butylbenzoic acid 66, adipic acid 65.5, hexahydrophthalic anhydride 138, and maleic anhydride 13.2 parts, and the resulting product was neutralized with Et3N and used for water-thinned coatings.
- IT 13818-44-5D, graft polymers with alkyd resins, methacrylic acid, Me methacrylate and styrene, triethylamine salts 147966-45-8  
 RL: TEM (Technical or engineered material use); USES (Uses)  
 (coatings, water-thinned, chemical- and water- and weather-resistant, thermosetting)
- RN 13818-44-5 CAPLUS
- CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester (CA INDEX NAME)




- RN 147966-45-8 CAPLUS
- CN 1,3-Benzenedicarboxylic acid, polymer with 2,2-dimethyl-1,3-propanediol and 2-ethyl-2-(hydroxymethyl)-1,3-propanediol 4-(1,1-dimethylethyl)benzoate, ethenylbenzene, formaldehyde, 2,5-furandione, hexahydro-1,3-isobenzofurandione, hexanedioic acid, 2-(2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate, 2-propenoic acid and 1,3,5-triazine-2,4,6-triamine, graft, compd. with N,N-diethylethanamine (9CI) (CA INDEX NAME)

CM 1

CRN 121-44-8

CMF C6 H15 N



CM 2


CRN 147966-44-7

CMF (C11 H14 O2 . C8 H10 O5 . C8 H10 O3 . C8 H8 . x (C8 H6 O4 . C6 H14 O3 . C5 H12 O2)x . C6 H10 O4 . C4 H2 O3 . C3 H6 N6 . C3 H4 O2 . C H2 O)x

CCI PMS


CM 3

CRN 13818-44-5  
CMF C8 H10 O5




CM 4

CRN 124-04-9  
CMF C6 H10 O4




CM 5

CRN 108-78-1  
CMF C3 H6 N6




CM 6

CRN 108-31-6  
CMF C4 H2 O3




CM 7

CRN 100-42-5  
CMF C8 H8




CM 8

CRN 85-42-7  
CMF C8 H10 O3




CM 9

CRN 79-10-7  
CMF C3 H4 O2



CM 10

CRN 50-00-0  
CMF C H2 O




CM 11

CRN 147625-45-4  
CMF C11 H14 O2 . x (C8 H6 O4 . C6 H14 O3 . C5 H12 O2)x

CM 12

CRN 98-73-7  
CMF C11 H14 O2




CM 13

CRN 41941-17-7  
CMF (C8 H6 O4 . C6 H14 O3 . C5 H12 O2)x  
CCI PMS


CM 14

CRN 126-30-7  
CMF C5 H12 O2




CM 15

CRN 121-91-5  
CMF C8 H6 O4



CM 16

CRN 77-99-6  
CMF C6 H14 O3



L9 ANSWER 5 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN  
ACCESSION NUMBER: 1993:104991 CAPLUS  
DOCUMENT NUMBER: 118:104991  
TITLE: Storage-stable cyclocarbonate group-containing vinyl polymer coatings  
INVENTOR(S): Harui, Nobuo; Iwamura, Goro; Takezawa, Shoichiro  
PATENT ASSIGNEE(S): Dainippon Ink and Chemicals, Inc., Japan  
SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.  
CODEN: JKXXAF  
DOCUMENT TYPE: Patent  
LANGUAGE: Japanese  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
JP 04209678	A	19920731	JP 1990-400855	19901207
JP 2990802	B2	19991213		
PRIORITY APPLN. INFO.:			JP 1990-400855	19901207
AB The title coatings, giving smooth films with good water and weather resistance, contain $\geq 2$ 2-oxo-1,3-dioxolane-4-yl group-containing vinyl polymers and the dioxolane ring opening catalysts. Thus, a composition containing trimethylbenzylammonium hydroxide, Bu methacrylate (I)-2,3-carbonatopropyl				

methacrylate-Me methacrylate-styrene copolymer and acrylic acid-styrene-I copolymer gave a smooth film with gel content 98%.

IT 145087-58-7 146267-29-0

RL: TEM (Technical or engineered material use); USES (Uses)  
(coatings, storage-stable, ring-opening crosslinking of, for smooth films)


RN 145087-58-7 CAPLUS

CN 2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, methyl 2-methyl-2-propenoate, (2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate and 2-propenoic acid (9CI) (CA INDEX NAME)

CM 1

CRN 13818-44-5


CMF C8 H10 O5



CM 2

CRN 100-42-5


CMF C8 H8



CM 3

CRN 97-88-1


CMF C8 H14 O2



CM 4

CRN 80-62-6


CMF C5 H8 O2



CM 5

CRN 79-10-7

CMF C3 H4 O2




RN	146267-29-0	CAPLUS
CN	2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, $\alpha$ -hydro- $\omega$ -hydroxypoly[oxy(1-oxo-1,6-hexanediyl)] ester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1), 1,3-isobenzofurandione, methyl 2-methyl-2-propenoate and (2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)	

CM 1

CRN 54735-63-6

CMF (C6 H10 O2)<sub>n</sub> (C6 H10 O2)<sub>n</sub> (C6 H10 O2)<sub>n</sub> C6 H14 O3


CCI      PMS



CM 2

CRN 13818-44-5


CMF C8 H10 O5



CM 3

CRN 100-42-5


CMF C8 H8



CM 4


CRN 97-88-1

CMF C8 H14 O2




CM 5

CRN 85-44-9  
CMF C8 H4 O3



CM 6

CRN 80-62-6  
CMF C5 H8 O2



L9 ANSWER 6 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN  
 ACCESSION NUMBER: 1991:494511 CAPLUS  
 DOCUMENT NUMBER: 115:94511  
 TITLE: Active energy-curable resin compositions with good pigment dispersibility and adhesion  
 INVENTOR(S): Ichinose, Eiyu; Motomura, Masatoshi; Ishikawa, Hidenori  
 PATENT ASSIGNEE(S): Dainippon Ink and Chemicals, Inc., Japan  
 SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.  
 CODEN: JKXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
JP 03002206	A	19910108	JP 1989-135718	19890531
JP 2725379	B2	19980311		
EP 489203	A1	19920610	EP 1990-313121	19901203
EP 489203	B1	19960911		

R: DE, FR, GB, IT, NL

PRIORITY APPLN. INFO.: JP 1989-135718 19890531

AB The title compns., useful as binders of coatings, adhesives, printing inks, and magnetic recording medium, comprise resins having cyclocarbonate groups and vinyl bonds and optionally organic solvents and/or reactive diluents. Compns. comprising resins having cyclocarbonate groups, vinyl bonds, and urethane bonds and organic solvents and/or reactive diluents are also claimed. Thus, reacting epichlorohydrin with diethanolamine in the presence of Me4NCl for 6 h and treating with NaHCO3 in DMF at 90°

gave N-(glyceryl cyclocarbonate)diethanolamine, 11.0 g of which was treated with 50.1 g adipic acid-1,4-butanediol copolymer and 28.0 g 4,4'-dicyclohexylmethane diisocyanate in the presence of dibutyltin dilaurate at 70° for 6 h, and then stirred with 10 g 2-hydroxypropyl acrylate-TDI (1:1) adduct for 5 h to give a polyurethane acrylate (I). A composition containing I 50, Tipaque R 280 50, PhMe 90, and

MEK 90


parts was applied on a PET film and a brass plate, dried at 70° for 1 h, and irradiated by electron beam to form coatings with gloss 92% and good adhesion in both cases.

IT 13818-44-5P

RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent) (preparation and polymerization of)

RN 13818-44-5 CAPLUS

CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester (CA INDEX NAME)



IT 135600-83-8P

RL: PREP (Preparation)

(preparation of, coatings, radiation-cured, with good pigment dispersibility and adhesion)

RN 135600-83-8 CAPLUS


CN Hexanedioic acid, polymer with 1,4-butanediol, 1,6-hexanediol, 2-[[[(3-isocyanatomethylphenyl)amino]carbonyl]oxy]propyl 2-propenoate, 1,1'-methylenebis[4-isocyanatocyclohexane] and (2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate, graft (9CI) (CA INDEX NAME)

CM 1

CRN 54554-40-4

CMF C15 H16 N2 O5

CCI IDS




D1-Me

CM 2

CRN 13818-44-5

CMF C8 H10 O5






CM 3

CRN 5124-30-1


CMF C15 H22 N2 O2



CM 4

CRN 629-11-8


CMF C6 H14 O2



CM 5

CRN 124-04-9


CMF C6 H10 O4



CM 6

CRN 110-63-4

CMF C4 H10 O2



L9 ANSWER 7 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1990:99455 CAPLUS

DOCUMENT NUMBER: 112:99455

ORIGINAL REFERENCE NO.: 112:16931a,16934a

TITLE: Esters of cyclic carbonates for use in urethane coatings

INVENTOR(S): Grahe, Gerwald; Lachowicz, Artur

PATENT ASSIGNEE(S): Dainippon Ink Chemical Industry Co., Japan

SOURCE: Ger. Offen., 15 pp.

CODEN: GWXXBX


DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3804820	A1	19890817	DE 1988-3804820	19880212
DE 3804820	C2	19900208		
EP 328150	A2	19890816	EP 1989-102411	19890213
EP 328150	A3	19900822		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
JP 02000787	A	19900105	JP 1989-33285	19890213
JP 2827249	B2	19981125		

PRIORITY APPLN. INFO.: DE 1988-3804820 A 19880212  
OTHER SOURCE(S): CASREACT 112:99455  
AB The title esters are prepared from cyclic carbonates of the polyols  
HOZC(R2)(OH)C(OH)R3R4 (R2-4 = H, Me, substituted Me, Z = C1-20  
hydrocarbylene) and the anhydrides (R1CO)2O (R1 = H or C1-12 hydrocarbyl  
group, optionally containing ≤3 O atoms) at high temps. Thus, heating  
4-(hydroxymethyl)-1,3-dioxan-2-one (I) 118, Ac2O 102, and p-MeC6H4SO3H 0.5  
g at 100-105° for 1 h gave 155 g I acetate.  
IT 13818-44-5P, 4-(Hydroxymethyl)-1,3-dioxolan-2-one methacrylate  
RL: PREP (Preparation)  
(preparation of)  
RN 13818-44-5 CAPLUS  
CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester (CA  
INDEX NAME)



L9 ANSWER 8 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN  
ACCESSION NUMBER: 1988:423545 CAPLUS  
DOCUMENT NUMBER: 109:23545  
ORIGINAL REFERENCE NO.: 109:4041a,4044a  
TITLE: Crosslinked polymers bearing carbonate ester groups  
for immobilizing biologically active polymers  
INVENTOR(S): Mauz, Otto; Noetzel, Siegfried; Sauber, Klaus  
PATENT ASSIGNEE(S): Hoechst A.-G., Fed. Rep. Ger.  
SOURCE: Ger. Offen., 6 pp.  
CODEN: GWXXBX  
DOCUMENT TYPE: Patent  
LANGUAGE: German  
FAMILY ACC. NUM. COUNT: 2  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3629176	A1	19880317	DE 1986-3629176	19860828
EP 266503	A1	19880511	EP 1987-112389	19870826
EP 266503	B1	19901212		
R: AT, BE, CH, DE, FR, GB, IT, LI, NL, SE				
US 4767620	A	19880830	US 1987-89439	19870826
AT 59051	T	19901215	AT 1987-112388	19870826
JP 63068611	A	19880328	JP 1987-211506	19870827
CA 1330139	C	19940607	CA 1987-545488	19870827

PRIORITY APPLN. INFO.: DE 1986-3629176 A 19860828  
EP 1987-112388 A 19870826

AB The title polymers, with good bonding capacity (e.g. for enzymes), contain 1-99% glycerol carbonate (meth)acrylate or vinyl or allyl ether and 99-1% N,N'-divinylalkyleneurea, and are in the form of spheres with average diameter 10-600  $\mu$  and average pore size 5-1000 nm. Stirring glycerol carbonate methacrylate 50, N,N'-divinylethyleneurea 50, cyclohexanol 108, lauryl alc. 12, AIBN 2, Na<sub>2</sub>HPO<sub>4</sub> 3.2, poly(vinylpyrrolidone) 2.0, and H<sub>2</sub>O 200 g at 65° for 7 h gave 75 g polymer beads with particle size distribution 100-200  $\mu$  36.0, 50-100  $\mu$  60.2, and <50  $\mu$  3.8%. Stirring 0.2 g this polymer with 1.2 mL solution of penicillin acylase (220 units/mL) in phosphate buffer (pH 7.6) at 23° for 72 h gave 456 mg polymer with activity (K penicillate, 37°, pH 7.8) 675 units/g solids.

IT 115089-59-3P 115089-60-6P 115089-61-7P

RL: PREP (Preparation)

(immobilizing agents for biol. active materials, manufacture of)


RN 115089-59-3 CAPLUS

CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester, polymer with 1,3-diethenyl-2-imidazolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 13818-44-5


CMF C8 H10 O5



CM 2

CRN 13811-50-2

CMF C7 H10 N2 O




RN 115089-60-6 CAPLUS

CN 2-Propenoic acid, 2-methyl-, methyl ester, polymer with 1,3-diethenyl-2-imidazolidinone and (2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 13818-44-5


CMF C8 H10 O5



CM 2

CRN 13811-50-2


CMF C7 H10 N2 O



CM 3

CRN 80-62-6

CMF C5 H8 O2




RN 115089-61-7 CAPLUS

CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester,  
polymer with 1,3-diethenyl-2-imidazolidinone and ethenyl acetate (9CI)  
(CA INDEX NAME)

CM 1

CRN 13818-44-5


CMF C8 H10 O5



CM 2

CRN 13811-50-2

CMF C7 H10 N2 O



CM 3


CRN 108-05-4  
CMF C4 H6 O2



L9 ANSWER 9 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN  
 ACCESSION NUMBER: 1983:618639 CAPLUS  
 DOCUMENT NUMBER: 99:218639  
 ORIGINAL REFERENCE NO.: 99:33561a,33564a  
 TITLE: Copolymers and hydrogels: process and articles made from them  
 INVENTOR(S): Gallop, Paul M.  
 PATENT ASSIGNEE(S): Syntex (U.S.A.), Inc., USA  
 SOURCE: U.S., 9 pp.  
 CODEN: USXXAM  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4401797	A	19830830	US 1981-265304	19810520
US 4634722	A	19870106	US 1983-527550	19830829
PRIORITY APPLN. INFO.:			US 1981-265304	A1 19810520

GI



AB Copolymers having improved machining and water-resistant properties are prepared from a monomer containing on adduct protecting group, particularly an alkyl boronic acid adduct of glyceryl acrylate or methacrylate, an alkyl acrylate or methacrylate and, optionally, a glycidyl acrylate or methacrylate. After machining and shaping, the adduct is removed to give a hydrogel useful as a contact lens material. A polymer was prepared from a butylboronic acid adduct (I) of glyceryl methacrylate and Me methacrylate, the polymer rod obtained was cut into the shape of contact lenses, treated overnight with 10% H<sub>2</sub>O<sub>2</sub> in NaHCO<sub>3</sub> buffer and further hydrated in saline solution to form a hydrogel, useful for contact lenses.


IT 13818-44-5P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation of)  
 RN 13818-44-5 CAPLUS  
 CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester (CA  
 INDEX NAME)



IT 87880-72-6P  
 RL: THU (Therapeutic use); BIOL (Biological study); PREP (Preparation);  
 USES (Uses)  
 (preparation of, for contact lenses)  
 RN 87880-72-6 CAPLUS  
 CN 2-Propenoic acid, 2-methyl-, methyl ester, polymer with  
 (2-oxo-1,3-dioxolan-4-yl)methyl 2-methyl-2-propenoate (CA INDEX NAME)


CM 1

CRN 13818-44-5  
 CMF C8 H10 O5



CM 2

CRN 80-62-6  
 CMF C5 H8 O2



L9 ANSWER 10 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN  
 ACCESSION NUMBER: 1961:111723 CAPLUS  
 DOCUMENT NUMBER: 55:111723  
 ORIGINAL REFERENCE NO.: 55:20963f-h  
 TITLE: Carbonatoalkyl acrylates and methacrylates  
 INVENTOR(S): O'Brien, Joseph L.; Beavers, Ellington M.  
 PATENT ASSIGNEE(S): Rohm & Haas Co.  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Unavailable  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----

US 2979514  
GB 877243

19610411

US 1957-672128  
GB

19570716

AB Glycerol carbonate (236 g.), 600 g. Me methacrylate, 8 g. hydroquinone, and 400 cc. dry C6H6 was heated at a maximum distillation temperature of 65° and 0.5 g. Na in 10 cc. MeOH added during 10 hrs.; 190 cc. C6H6-MeOH azeotrope was collected at the top of the column. The mixture was cooled to room temperature, filtered, and washed with H2O. The organic layer was


dried over anhydrous MgSO4, filtered, and stripped. The residue was distilled in 3 portions in the presence of a polymerization inhibitor, N,N'-bis(1,4-naphthoquinon-2-yl)-p-phenylenediamine to yield 60% 2,3-carbonatopropyl methacrylate (I), b0.06 112-32°. Likewise the following were prepared: 4,5-carbonatopentyl methacrylate, b0.7 165-8°, n25D 1.4543; 4,5-carbonatohexyl methacrylate, b2.4 184-8°; 2,3-carbonatopropyl acrylate, yellow oil. To polymerize I in sheet form, a mixture of 120 g. I with 0.03 g. Bz2O2 and 0.06 g. each of common peak suppressant and mold release agent was heated briefly with stirring, poured into a glass mold, and held at 60° until stiffening was observed. Then the mixture was put through a conventional polymerization cycle, 60-110°.

IT 13818-44-5

(Derived from data in the 6th Collective Formula Index (1957-1961))

RN 13818-44-5 CAPLUS

CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester (CA INDEX NAME)



L9 ANSWER 11 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1961:40679 CAPLUS

DOCUMENT NUMBER: 55:40679

ORIGINAL REFERENCE NO.: 55:7909f-h

TITLE: Polymerizable esters of acrylic and methacrylic acid, and polymers thereof

INVENTOR(S): Fang, James C.

PATENT ASSIGNEE(S): E. I. du Pont de Nemours & Co.

DOCUMENT TYPE: Patent

LANGUAGE: Unavailable

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2967173		19610103	US 1956-573094	19560322

AB The title compds. are prepared from acrylic or methacrylic acid or their lower esters with the cyclic carbonate of an alkanetriol, such as glycerol. Thus, a monomeric ester was prepared by mixing glyceryl carbonate 236, Me methacrylate 150, hydroquinone 3, and NaOMe 25 parts by weight, in a N atmospheric. The mixture was refluxed at 100-2° for 4.5 hrs. MeOH and unreacted monomers were distilled off, first for 2 hrs. at 106° and thereafter at 20 mm. Hg. The residue was dissolved in C6H6 and washed several times with 30% aqueous CaCl2 and 15% aqueous NaOH. The yield was 200 parts crude methacrylate ester of glyceryl carbonate. After further purification, a homopolymer of this ester was made by refluxing a 50% solution of the ester in MeCOEt at 73° for a few min. A white,

insol., brittle polymer is formed. Some copolymers with styrene, Me methacrylate, Me acrylate, acrylonitrile, or butadiene as comonomers were made, either through solution or emulsion polymerization, by sealing the reaction mixture in glass tubes filled with N and tumbling in a H2O bath at 85° for 16 hrs. These polymers are suitable for clear and pigmented coating compns. adhesives and molding or casting resins.


IT 13818-44-5P, Glycerol, 1,2-carbonate, methacrylate

RL: PREP (Preparation)

(preparation of)

RN 13818-44-5 CAPLUS

CN 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester (CA INDEX NAME)



=>

Connection closed by remote host